

Revision: 14.11.2017 Printing date 14.11.2017 Version 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

IonoPlus IME-MH · Trade name:

A100510 · Article number:

· Former article number (till July

2012): 50090

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Application of the substance / the

mixture

Industrial use

· 1.3 Details of the supplier of the safety data sheet oelheld GmbH

· Manufacturer/Supplier: Ulmer Str. 133-139

70188 Stuttgart **GERMANY** Tel.: +49-(0)711-16863-0

Fax.: +49-(0)711-16863-3500 Internet: www.oelheld.de

· Further information obtainable from: Tel. +49-(0)711-16863-0

· E-mail of the informed person: msds@oelheld.de (in German or English)

· 1.4 Emergency telephone number: during hours of business see above

> out of office hours in German (or English): Dr. Schnödt Tel. +49 71 11 68 63-997 Mr Philipp Storr Tel. +49 71 11 68 63-992 Mr Martin Storr Tel. +49 71 11 68 63-993 Mr Speth Tel. +49 71 11 68 63-994

or consult the next poison information departement

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

- · 2.2 Label elements
- · Labelling according to Regulation

(EC) No 1272/2008 · Hazard pictograms The product is classified and labelled according to the CLP regulation.



GHS08

· Signal word Danger

· Hazard-determining components of

labelling:

Hydrocarbons, C14-C17, n-alkanes, <2% aromatics

Paraffin oil

· Hazard statements H304 May be fatal if swallowed and enters airways.

· Precautionary statements P280 Wear protective gloves.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· Additional information: EUH066 Repeated exposure may cause skin dryness or cracking.

· 2.3 Other hazards

· vPvR·

· Results of PBT and vPvB assessment

· PBT: The criteria to identify an ingredient as a PBT substance in compliance with REACH are

according to our information currently not available.

The criteria to identify an ingredient as a vPvB substance in compliance with REACH are

according to our information currently not available.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)



Printing date 14.11.2017 Version 14 Revision: 14.11.2017

Trade name: IonoPlus IME-MH

(Contd. of page 1)

		(Oome	or page 1)
· Dangerous components:			
EC number: 917-828-1 Reg.nr.: 01-2119487513-33	Hydrocarbons, C14-C17, n-alkanes, <2% aromatics	Asp. Tox. 1, H304	25-50%
CAS: 8042-47-5 EINECS: 232-455-8	Paraffin oil	Asp. Tox. 1, H304	25-50%
Reg.nr.: 01-2119487078-27			
Additional information:	For the wording of the listed risk phrases refer to section 16).	

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information: Remove any clothing soiled by the product.

> In case of occuring of symptoms or in doubt consult a doctor. If a doctor is consulted show this material safety data sheet. Supply fresh air; consult doctor in case of complaints.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a

No further relevant information available.

· After swallowing: Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special

treatment needed No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· After inhalation:

· Suitable extinguishing agents: CO2, powder or water spray. Fight larger fire with alcohol resistant foam.

· For safety reasons unsuitable extinguishing agents:

· 5.2 Special hazards arising from the

substance or mixture Under certain fire conditions, traces of other toxic gases cannot be excluded, e.g.:

Carbon monoxide (CO)

Water with full iet

· 5.3 Advice for firefighters

· Protective equipment: Wear self-contained respiratory protective device. · Additional information Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official

regulations.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective

equipment and emergency

procedures

Ensure adequate ventilation.

Particular danger of slipping on leaked/spilled product. Do not allow to enter sewers/ surface or ground water. · 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Keep contaminated washing water and dispose of appropriately.

 \cdot 6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders,

sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Remove from the water surface (e.g. skim or suck off).

· 6.4 Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling Ensure good ventilation/exhaust at the workplace.

Open and handle receptacle with care.

Recommendation: Level of dielectric over the place of erosion min. 50 mm.

· Information about fire - and explosion protection:

Fumes can combine with air to form an explosive mixture above the flash point.

(Contd. on page 3)



Printing date 14.11.2017 Version 14 Revision: 14.11.2017

Trade name: IonoPlus IME-MH

(Contd. of page 2)

· 7.2 Conditions for safe storage, including any incompatibilities

Storage:

· Requirements to be met by

storerooms and receptacles:

Store only in the original receptacle.

· Information about storage in one

common storage facility:

Further information about storage conditions:

Protect from heat, direct sunlight and UV-rays.

Store in cool, dry conditions in well sealed receptacles.

At temperatures below approx. 0°C the product may cristallize and get solid. In this case

warm up slightly before use.

Not required.

Storage stability under the described conditions: 24 months.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about design

of technical facilities: No further data; see section 7.

· 8.1 Control parameters

Ingredients with limit values that

require monitoring at the workplace: Recommended TLV (oil mist): TWA 5 mg/m³, STEL 10 mg/m³ (ACGIH)

· 8.2 Exposure controls

· Personal protective equipment:

· General protective and hygienic

measures: The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

Do not carry product impregnated cleaning cloths in trouser pockets.

Avoid contact with the skin.

• **Respiratory protection:** Not necessary if room is well-ventilated.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or

longer exposure use self-contained respiratory protective device.

Protection of hands:
 Material of gloves
 Protective gloves
 Nitrile rubber, NBR

• Penetration time of glove material At a glove thickness of about 0,4 mm the value of the permeation breakthrough in

accordance with EN 374 is for chemically similar products according to the manufacturer:

>480 min. (Degradation EN 374 rating class 6)

These statements are based on laboratory test methods which could not simulate working

conditions exactly. The responsibility rests with the end user for choosing the right gloves

for his application.

• Eye protection: Goggles recommended during refilling

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

 \cdot 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid

Colour: Fluorescent green

· Odour: Mild

Odour threshold: Not determined.pH-value: Not applicable.

· Change in condition

Melting point/freezing point: Undetermined. **Initial boiling point and boiling range:** > 250 °C

· Flash point: 107 °C

Flammability (solid, gas): Not applicable.
 Ignition temperature: > 220 °C
 Decomposition temperature: Not determined.

• Explosive properties: Product is not explosive. However formation of explosive air/vapour mixtures above the

flash point or in case of strong misting is possible.

· Explosion limits:

Lower: 0,6 Vol % 7,0 Vol %

Vapour pressure: Not determined.

(Contd. on page 4)



Printing date 14.11.2017 Version 14 Revision: 14.11.2017

Trade name: IonoPlus IME-MH

(Contd. of page 3)

Density at 15 °C: 0,79 g/cm³
 Relative density Not determined.
 Vapour density Not determined.
 Evaporation rate Not determined.

· Solubility in / Miscibility with

water: Not miscible or difficult to mix.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not determined. Kinematic at 40 °C: 2.5 mm²/s

· Solvent content:

VOC (EC) None

· Oxidising properties: Not determined.

• 9.2 Other information No further relevant information available.

• Additional information The data of the explosion limits are based on the base oil.

The above named properties are measured according to part A of the annex V of the EC-

regulation 67/548/EC or according to other comparable methods.

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

· Thermal decomposition / conditions

to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known.

10.4 Conditions to avoid See above

• 10.5 Incompatible materials: Strong oxidizing agents

• 10.6 Hazardous decomposition

products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

Acute toxicity

 Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for

classification: ATE m

Oral: Acute toxicity estimate: > 2,000 mg/kg Dermal: Acute toxicity estimate: > 2,000 mg/kg

Inhalation: Acute toxicity estimate: for gases > 20,000 ppmV; for vapours > 20 mg/l; for

dust/mist > 5 mg/l

Hydrocarl	Hydrocarbons, C14-C17, n-alkanes, <2% aromatics		
Oral	LD50	>5,000 mg/kg (rat) (OECD 401)	
Dermal	LD50	>2,000 mg/kg (rat) (OECD 402)	
8042-47-5	8042-47-5 Paraffin oil		
Oral	LD50	>5,001 mg/kg (rat (male/female)) (OECD 401)	
	NOAEL	>1,200 mg/kg (rat) (OECD 453)	
Dermal	LD50	>2,001 mg/kg (rabbit) (OECD 402)	
	NOAEL / 28d	1,000 mg/kg (rabbit (male/female)) (OECD 410)	
	NOAEL / 90d	>2,000 mg/kg (rat (male/female)) (OECD 411)	
Inhalative	LC50 / 4hr	>5,001 mg/l (rat (male/female)) (OECD 403)	

· Primary irritant effect:

• Skin corrosion/irritation Repeated/long exposure may cause skin dryness and in consequence skin irritations.

Serious eye damage/irritation
 Respiratory or skin sensitisation
 Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 STOT-single exposure
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.

• **Aspiration hazard** May be fatal if swallowed and enters airways.



Printing date 14.11.2017 Version 14 Revision: 14.11.2017

Trade name: IonoPlus IME-MH

(Contd. of page 4)

SECTION 12: Ecological information

· 12.1 Toxicity

Aquatic toxicity:

8042-47-5 Paraffin oil

LL50 / 40h |>1,000 mg/l (activated sludge organisms)

NOEL / 72h >100 mg/l (Pseudokirchneriella subcapitata) (OECD 201)

LC50 / 96hr >1,000 mg/l (Leuciscus idus) (OECD 203)

Acute ecotoxicity:

Hydrocarbons, C14-C17, n-alkanes, <2% aromatics

LL50 / 96hr |>1,028 mg/l (Scophthalmus maximus)

EL50 / 72hr >10,000 mg/l (Skeletonema costatum)

8042-47-5 Paraffin oil

LL50 / 48hr >100 mg/l (Daphnia magna) (OECD 202)

Chronic ecotoxicity:

Hydrocarbons, C14-C17, n-alkanes, <2% aromatics

NOELR / 21d >1,000 mg/l (Daphnia magna) NOELR / 28d >1,000 mg/l (Oncorhynchus mykiss)

· 12.2 Persistence and degradability No further relevant information available. · 12.3 Bioaccumulative potential No further relevant information available. · 12.4 Mobility in soil No further relevant information available.

· Ecotoxical effects:

· Behaviour in sewage processing plants:

Additional ecological information:

· General notes: Not known to be hazardous to water.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow product to reach ground water, water course or sewage system.

· 12.5 Results of PBT and vPvB assessment

· PBT: The criteria to identify an ingredient as a PBT substance in compliance with REACH are

The product can be mechanically separated.

according to our information currently not available.

The criteria to identify an ingredient as a vPvB substance in compliance with REACH are · vPvB:

according to our information currently not available.

 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Delivery of waste oil to offically authorised collectors only.

· European waste catalogue 12 01 07* | mineral-based machining oils free of halogens (except emulsions and solutions)

packaging containing residues of or contaminated by hazardous substances 15 01 10*

Specific Target Organ Toxicity (STOT)/Aspiration Toxicity HP 5

· For the product: 12 01 07*

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

Waste disposal key: 15 01 10*

SECTION 14: Transport information

· 14.1 UN-Number

· ADR, ADN, IMDG, IATA Void

· 14.2 UN proper shipping name

Void · ADN, IMDG, IATA Void

· 14.3 Transport hazard class(es)

· Class Void · Label Void · ADN/R Class: Void

· 14.4 Packing group

· ADR, IMDG, IATA Void

(Contd. on page 6)



Version 14 Printing date 14.11.2017 Revision: 14.11.2017

Trade name: IonoPlus IME-MH

(Contd. of page 5)

· 14.5 Environmental hazards:

· Marine pollutant: No

 14.6 Special precautions for user Not applicable.

· 14.7 Transport in bulk according to Annex II of Marpol and

the IBC Code Not applicable.

· Transport/Additional information: Not dangerous according to the above specifications.

· Excepted quantities (EQ): Void · Limited quantities (LQ) Void · Transport category Void · Tunnel restriction code Void

 Limited quantities (LQ) Void · Excepted quantities (EQ) Void

·IATA

Void · Remarks: · UN "Model Regulation": Void

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Labelling according to Regulation

(EC) No 1272/2008 · Hazard pictograms The product is classified and labelled according to the CLP regulation.

GHS08

· Signal word Danger

Hazard-determining components of

labelling:

Hydrocarbons, C14-C17, n-alkanes, <2% aromatics

Paraffin oil

H304 May be fatal if swallowed and enters airways. · Hazard statements

· Precautionary statements P280 Wear protective gloves.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· Directive 2012/18/FU

· REGULATION (EC) No 1907/2006

ANNEX XVII

Void

Conditions of restriction: 3

· National regulations:

· Breakdown regulations: The product is not subject to the Hazardous Incidents Ordinance. · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Reasons for alterations General revision.

H304 May be fatal if swallowed and enters airways. · Relevant phrases

· Classification according to

Regulation (EC) No 1272/2008 Calculation method

· Department issuing SDS: Department of Research & Development

· Abbreviations and acronyms: REACH: Registration, Evaluation and Authorisation of Chemicals (regulation (EC) No 1907/2006) PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative EC: European Community NLP: no longer polymers

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 7)

(Contd. of page 6)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.11.2017 Version 14 Revision: 14.11.2017

Trade name: IonoPlus IME-MH

WEL: Worktime Exposure Limit TWA: Time Weighted Average cond STEL: Short Time Exposure Limit

OEL: Occupational Exposure Limit
OEL (EU): Occupational Exposure Limit of the European Union
TLV: Threshold limit value

TLV: Threshold limit value
TWA: Time Weighted Average concentration
STEL: Short Time Exposure Limit
IOELV: Indicative Occupational Exposure Limit Value
WEL: Worktime Exposure Limit
ACGIH: American Conference of Governmental Industrial Hygienists
DNEL: Derived No-Effect Level (REACH)
LOAEL: lowest observed adverse effect level
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EC50: ecotoxic concentration, 50 percent
NOEL R: No observed effect loading rate

NOELR: No observed effect loading rate
OECD: the Organisation for Economic Co-operation and Development [coordinates the OECD guidelines for the

OECD: the Organisation for Economic Co-operation and Development [coordinates the OECD guidelines for the toxicological testing of chemicals]

ATE: acute toxicity estimate

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

VOC: Volatile Organic Compounds (USA, EC)

ADR: Accord européen sur le transport des marchandises Dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA: International Air Transport Association Asp. Tox. 1: Aspiration hazard – Category 1

· * Data compared to the previous version altered.